

FIG. 2





FIG. 3



10044295-01-1102

FIG. 4





FIG. 5



F I G. 6

VALUE OF PARAMETER α CONCERNING A POWER CONSUMPTION WITH RESPECT TO A COMBINATION OF
ON RESISTANCE (RELATIVE VALUE) A AND OFF RESISTANCE (RELATIVE VALUE) B

A	B														
	20,000	10,000	5,000	2,000	1,000	500	200	100	50.0	20.0	10.0	5.00	2.00	1.00	
0.01	1.010	1.010	1.010	1.011	1.011	1.012	1.015	1.020	1.030	1.061	1.112	1.214	1.523	2.040	
0.02	1.020	1.020	1.020	1.021	1.021	1.022	1.025	1.030	1.041	1.072	1.124	1.229	1.545	2.080	
0.05	1.050	1.050	1.050	1.051	1.051	1.052	1.056	1.061	1.072	1.105	1.161	1.272	1.613	2.200	
0.10	1.100	1.100	1.100	1.101	1.101	1.102	1.106	1.112	1.124	1.160	1.221	1.344	1.725	2.400	
0.20	1.200	1.200	1.200	1.201	1.201	1.203	1.207	1.214	1.228	1.271	1.342	1.488	1.950	2.800	
0.50	1.500	1.500	1.500	1.501	1.502	1.504	1.510	1.520	1.540	1.601	1.705	1.920	2.625	4.000	
1.00	2.000	2.000	2.001	2.002	2.003	2.006	2.015	2.030	2.060	2.153	2.310	2.640	3.750	6.000	
2.00	3.000	3.001	3.001	3.003	3.005	3.010	3.025	3.050	3.101	3.255	3.520	4.080	6.000	10.00	
5.00	6.001	6.001	6.002	6.006	6.011	6.022	6.055	6.111	6.222	6.563	7.150	8.400	12.75	22.00	
10.0	11.00	11.00	11.00	11.01	11.02	11.04	11.11	11.21	11.42	12.08	13.20	15.60	24.00	42.00	
20.0	21.00	21.00	21.01	21.02	21.04	21.08	21.21	21.41	21.83	23.10	25.30	30.00	46.50	82.00	
50.0	51.01	51.01	51.02	51.05	51.10	51.20	51.51	52.02	53.04	56.18	61.60	73.20	114.0	202.0	
100	101.0	101.0	101.0	101.1	101.2	101.4	102.0	103.0	105.1	111.3	122.1	145.2	226.5	402.0	
200	201.0	201.0	201.1	201.2	201.4	201.8	203.0	205.0	209.1	221.6	243.1	289.2	451.5	802.0	

FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21

